


Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

5.57


Freeman



HARDY PERENNIALS

AND

ROCK PLANTS



WHOLESALE

HAMMONTON HARDY PLANT NURSERY

HAMMONTON

NEW JERSEY

FALL 1930

TERMS

Accounts are due in thirty days.

Orders from unknown correspondents, unaccompanied by cash or references will not be filled. If plants are required in a hurry, we suggest that cash and references be sent with first order. This will be promptly forwarded, and we will at once take up the question of shipping future orders on open account.

Prices in this catalogue include packing.

HARDY PERENNIALS AND ROCK PLANTS

Per Doz.—Per 100

ACHILLEA

| | | |
|--|------|-------|
| <i>flipendulina</i> . A strong growing species with large, flat heads of yellow flowers. 3 ft. June-July. | 1.25 | 8.00 |
| <i>Ptarmica</i> Boule de Neige . Sprays of small, double white flowers. 12 to 18 inches. June-September. | 1.25 | 8.00 |
| “ The Pearl . A stronger growing variety than the foregoing, bearing larger flowers. 2 ft. June-September. | 1.25 | 8.00 |
| <i>rupestris</i> . A compact, low growing alpine plant, forming cushions of attractive, green foliage, and bearing masses of snow-white flowers borne in dense umbels. 6 in. May-June. | 2.00 | 12.00 |
| <i>tomentosa</i> . A dwarf rock plant, forming neat cushions of foliage which are hidden during May and June by heads of bright yellow flowers. | 1 50 | 10.00 |

AETHIONEMA (Lebanon Candytuft)

| | | |
|--|------|-------|
| <i>iberidæum</i> . A very free flowering trailer for the rock garden. It has gray, glaucous leaves and the white flowers are produced in terminal clusters. April-May. | 2.00 | 12.00 |
|--|------|-------|

AGROSTEMMA

| | | |
|--|------|------|
| <i>coronaria</i> . Bright crimson flowers and gray woolly foliage making a pleasing contrast. 2 ft. June-July. | 1.25 | 8.00 |
| “ <i>alba</i> . A white variety of the preceding. | 1.25 | 8.00 |

AJUGA

| | | |
|--|------|-------|
| <i>genevensis</i> . Short spikes of intense blue flowers. A good rock plant. 6 in. June. | 2.00 | 12.00 |
|--|------|-------|

Per Doz.—Per 100

ALYSSUM

| | | |
|--|------|-------|
| argenteum. Large flat heads of golden yellow flowers borne on wiry stems. 1 ft. May-June. | 1.50 | 10.00 |
| montanum. A rare Alpine of compact though trailing habit; its dark green leaves are covered with white encrustations and each of its many stems terminates in a truss of bright yellow flowers in May and June. | 2.00 | 12.00 |
| saxatile compactum (Gold Dust) One of the most popular of spring flowering plants. Masses of yellow flowers in April and May. | 1.25 | 8.00 |

ANCHUSA

| | | |
|--|------|-------|
| italica Dropmore Variety. Tall spikes of gentian-blue flowers, resembling giant forget-me-nots. 4 ft. June-July. | 1.50 | 10.00 |
| italica Opal. Similar to the last variety but having pale blue flowers. | 1.50 | 10.00 |
| myosotidiflora. A distinct species producing masses of bright-blue, forget-me-not flowers in April and May. 1 ft. | 2.50 | 15.00 |

ANDROSACE

| | | |
|--|------|-------|
| lanuginosa. A Himalayan plant very rare in America. It is of a trailing habit and its stems are covered with silky leaves. The flowers are rose pink with yellow eyes and are borne in clusters at the termination of the stems. May-September. | 2.50 | 15.00 |
| lanuginosa Leichtlini. A white flowered variety of the preceding. | 2.50 | 15.00 |

ANEMONE

| | | |
|---|------|-------|
| Pulsatilla (Pasque Flower) Large cup shaped, bluish purple flowers, filled with golden anthers, borne singly on stems 1 ft. high. April-May. | 1.50 | 10.00 |
| “ alba. A white variety of the above. | 1.50 | 10.00 |

ANTHEMIS

| | | |
|---|------|------|
| tinctoria Kelwayi. Our stock of this variety has been raised from one plant selected from a large number of seedlings and is a great improvement on the plant usually offered under this name. Its bright yellow flowers are very large and are produced very freely on strong, straight stems. An excellent plant for cutting. 2½ ft. June-September. | 1.25 | 8.00 |
|---|------|------|

Per Doz.—Per 100

AQUILEGA (Columbine) An attractive and popular group of spring flowering plants which should be well represented in every collection of perennials. They are adapted for border or rock garden and their bright, various colored flowers are valuable for cutting.

chrysantha. A tall and beautiful species bearing soft yellow flowers. 3 ft. May-June. 1.50 10.00

nivea grandiflora. Large pure white flowers. Strong grower. 2 ft. May-June. 1.25 8.00

Mrs. Scott Elliott's Strain. This is probably the best strain of long spurred hybrids. The flowers are of rich and varied colors. 2-3 ft. May-June. 1.50 10.00

Rose Queen. Soft rose colored flowers with white centers. 2-3 ft. May-June. 1.50 10.00

ARABIS

alpina. (Rock Cross) A useful early spring flowering plant suitable for rock garden, border, or for spring bedding. 9 inches. April-May. 1.50 10.00

ARENARIA (Sandwort)

laricifolia. White flowers freely borne on short, wiry stems. 6 inches. May-June. 2.00 12.00

montana. One of the best rock plants for trailing over a ledge. Cascades of glistening white flowers in May. 2.00 12.00

ARMERIA (Thrift, Sea Pink)

maritima Laucheana. Compact tufts of grass-like foliage entirely covered in May and June with globular heads of pink flowers. 6 inches. 1.50 10.00

ARTEMISIA

Abrotanum (Southernwood, Old Man) A favorite old-fashioned garden plant of bush-like habit, having fine foliage possessing a refreshing fragrance. 2-3 ft. 1.50 10.00

lactiflora. Fragrant spirea-like plumes of creamy white flowers are borne on stout, erect stems from August to October. 5-6 ft. 1.25 8.00

ASCEPIAS

tuberosa. Strong stems terminating in clusters of bright orange red flowers. 2½ ft. May-June. 1.50 10.00

Per Doz.—Per 100

| | | |
|--|------|-------|
| ASTER. (Michaelmas Daisy, Starwort) As a plant of general usefulness the aster has few rivals. The great variety in color, size of flower, time of flowering and height, combined with simple cultural requirements, make it one of the most desirable of hardy plants. Many of the varieties and strongest spikes are obtained if the plants are divided annually. | | |
| Blucbeard. Very large, heliotrope flowers on strong, erect stems. 4 ft. September-October. | 1.50 | 10.00 |
| Climax. Large pale mauve flowers with yellow centers are profusely borne on long straight stems. | 1.50 | 10.00 |
| Cocrulea. Large pale blue flowers in pyramidal heads. 4-5 ft. September-October. | 1.50 | 10.00 |
| Mauve Cushion. Distinct from all other asters, this variety forms a round, compact cushion that is entirely covered with delicate mauve flowers during October and November. 9 in. | 1.25 | 8.00 |
| Perry's White. A very free flowering variety of graceful habit. The flowers are large and of good substance. 4 ft. September-October. | 1.50 | 10.00 |
| Sam Banham. The best white Aster; very large flowers, good for cutting. 3 ft. September-October. | 1.50 | 10.00 |
| The Queen. Very large flowers borne on loose sprays on long straight stems. They open pale mauve and turn nearly white with age. 4 ft. September. | 1.50 | 10.00 |
| St. Egwyn. This variety forms a compact bush, and during September the foliage is entirely hidden by large, clear pink flowers. One of the best asters in cultivation. 2½ ft. | 1.25 | 8.00 |
| tartaricus. A distinct species from Siberia. Large violet flowers are carried on tall, leafy stems. 6 ft. November. | 1.50 | 10.00 |
| White Climax. A pure white form of Climax. | 1.50 | 10.00 |
| N. A. Barr's Pink. A variety of recent introduction, bearing large, bright pink flowers. 4 ft. September-October. | 2.00 | 12.00 |
| " " Lil Fardal. Large, clear pink flowers. 4 ft. September-October. | 1.50 | 10.00 |

| | Per Doz.—Per 100 | |
|---|------------------|-------|
| ASTER, DWARF ALPINE | | |
| alpinus. Large, bluish purple flowers. 9 inches. May-June. | 1.50 | 10.00 |
| “ albus. A white variety of the foregoing. | 1.50 | 10.00 |
| subcaeruleus. Large violet-purple flowers freely borne on slender, erect stems. 1 ft. June-July. | 1.50 | 10.00 |
| AUBRIETIA | | |
| deltoides. A dwarf, free flowering rock plant with pale lavender flowers. 4 inches. April-May. | 2.00 | 12.00 |
| BAPTISIA | | |
| australis. (False Indigo) A first rate border plant bearing sprays of dark indigo blue flowers, re- sembling lupines. When well established, this is a valuable plant for cutting. 3 ft. June- July. | 1.25 | 8.00 |
| BOCCONIA | | |
| cordata. (Plume Poppy) A tall growing stately plant with handsome, gray, glaucous foliage, bear- ing panicles of creamy white flowers. 6-8 ft. July-August. | 1.25 | 8.00 |
| BOLTONIA | | |
| asteroides. A tall aster-like plant of vigorous habit, more suitable for naturalizing than for the border. White flowers. 6 ft. September. | 1.25 | 8.00 |
| latisquama. Not so strong growing as the last. Pink flowers. 5-6 ft. September. | 1.25 | 8.00 |
| latisquama nana. A somewhat uncommon plant de- serving wider recognition. It forms a compact bush, 3 ft. in height, and in September is smothered with dainty pink flowers. | 1.50 | 10.00 |
| CALAMINTHA | | |
| alpina. A prostrate rock plant producing a mass of violet-blue flowers borne in clusters. 6 in. July-August. | 1.50 | 10.00 |
| CAMPANULA (Bell flower) One of the most beautiful and important families of hardy plants. Hav- ing a very wide geographical distribution, its members are extremely varied in character and are adapted for rock garden, border and wood- land. | | |

Per Doz.—Per 100

CAMPANULA (Continued)

| | | |
|--|------|-------|
| carpatica. Branching stems bearing cup-shaped, blue flowers, 1½ inches or more in diameter. 1 ft. July-August. | 1.25 | 8.00 |
| carpatica alba. A white variety of the preceding. | 1.25 | 8.00 |
| glomerata. Clusters of tubular, violet-purple flowers, borne on strong upright stems. 1½ ft. July. | 1.50 | 10.00 |
| Medium (Canterbury Bell) Blue, pink, white; separate. | 1.25 | 8.00 |
| “ Calycanthema. (Cup and Saucer) Mixed colors. | 1.25 | 8.00 |
| persicifolia. Slender, graceful stems studded with blue, cap shaped flowers in June and July. 2½ ft. | 1.50 | 10.00 |
| “ alba. A white variety of the preceding. | 1.50 | 10.00 |
| rotundifolia. (Blue Bells of Scotland) Slender spikes of blue, bell shaped flowers growing from compact tufts of bright green foliage. 9 inches. June-July. | 1.50 | 10.00 |

CARNATION, BORDER. (Dianthus carophyllus) We can supply these popular favorites in the following colors, separate; red, rose, salmon, violet, yellow, white.

1.50 10.00

CARYOPTERIS

| | | |
|--|------|-------|
| mastacanthus. (Blue Spirea) A compact, free flowering plant of sub-shrubby habit with attractive gray foliage; it is covered during fall with trusses of lavender-purple flowers. | 2.00 | 12.00 |
|--|------|-------|

CENTAUREA

| | | |
|--|------|-------|
| maroccephala. A stately plant of robust habit, bearing large, globular heads of golden yellow flowers. 4-5 ft. July-August. | 1.50 | 10.00 |
| montana. Woolly foliage and bright blue flowers. 1½ ft. June-July. | 1.50 | 10.00 |
| “ alba. A white variety of the last. | 1.50 | 10.00 |

CERASTIUM

| | | |
|---|------|-------|
| tomentosum. Forms a carpet of silvery foliage which is covered in May with pure white flowers. | 1.50 | 10.00 |
|---|------|-------|

CHELONE

| | | |
|---|------|------|
| Lyoni. A very free flowering plant bearing large, deep pink Pentstemon-like flowers on sturdy erect stems. 2 ft. July-September. | 1.25 | 8.00 |
|---|------|------|

Per Doz.—Per 100

CHRYSANTHEMUM

| | | |
|---|------|------|
| Leucanthemum fl. pl. An uncommon plant bearing pure white, double flowers in June and July, valuable for cutting. 1½-2 ft. | 1.25 | 8.00 |
| maximum. (Shasta Daisy) A useful plant for cutting. The large, white daisy-like flowers are produced over a long period. 2 ft. June-September. | 1.25 | 8.00 |

COREOPSIS

| | | |
|---|------|------|
| grandiflora. One of the best hardy plants for cutting; bright yellow flowers are borne on long graceful stems throughout summer. | 1.25 | 8.00 |
|---|------|------|

DELPHINIUM

| | | |
|---|------|-------|
| Belladonna. An invaluable plant for cutting; sky-like flowers in great profusion from June until frost. 2½-3 ft. | 1.25 | 8.00 |
| Bellamosum. Similar in habit and growth to the above, but having dark blue flowers. | 1.25 | 8.00 |
| formosum. Dark blue flowers with white centers; vigorous habit. 3-4 ft. | 1.50 | 10.00 |
| grandiflorum. (chinese) Gentian-like flowers; finely divided foliage. 2 ft. June-September. | 1.25 | 8.00 |
| “ album. A white variety of the last. | 1.25 | 8.00 |
| Lamartine. Rich blue flowers with white centers. 2½ ft. | 2.00 | 15.00 |
| Mixed Hybrids. Raised from seed saved from a first class strain. | 2.00 | 12.00 |

DIANTHUS

| | | |
|---|------|-------|
| alpinus. A lovely dwarf Alpine with deep pink flowers close down to the foliage which they entirely hide in May and June. 4 inches. | 2.50 | 15.00 |
| Allwoodi Jean. White flowers with crimson centers. 1 ft. June-October. | 1.50 | 10.00 |
| “ Joyce. Rose pink with red centers. 1 ft. June-October. | 1.50 | 10.00 |
| arenarius. A desirable rock plant of compact, tufted habit. During May and June the foliage is entirely hidden by masses of deeply fringed, fragrant, white flowers borne on 6 inch stems. | 1.50 | 10.00 |

Per Doz.—Per 100

DIANTHUS (Continued)

| | | |
|--|------|-------|
| deltoides. (Maiden Pink) A trailing, pink flowered rock plant, also useful for border edging. June-July. | 1.25 | 8.00 |
| “ album. A white variety of the foregoing. | 1.25 | 8.00 |
| “ Brilliant. A vivid crimson variety, the flowers are shown to great advantage against the dark green foliage. | 1.25 | 8.00 |
| neglectus. A choice and beautiful Alpine; bright carmine flowers with a buff reverse. 6 inches. May-June. | 3.00 | 20.00 |
| plumarius. A first rate mixture of fragrant, beautifully frilled flowers, varying in color from white to crimson. 1 ft. May-June. | 1.25 | 8.00 |

DIELYTRA

| | | |
|--|------|-------|
| formosa. Dainty fern-like foliage and pendulous, lyre shaped flowers of a pleasing shade of pink. 1 ft. May-August. | 1.50 | 10.00 |
|--|------|-------|

DIGITALIS (Foxglove) One of the showiest and most attractive of old fashioned favorites whose popularity is continually increasing.

| | | |
|--|------|------|
| gloxinaeflora. Pink, purple, white; separate. | 1.25 | 8.00 |
| gloxinaeflora, The Shirley. A new strain raised by the Rev. W. Wilks, the originator of the well known Shirley Poppies. The flowers are of enormous size and vary in color from pure white to deepest rose. | 1.25 | 8.00 |

ECHINACEA

| | | |
|---|------|-------|
| purpurea. A distinct plant of uncommon beauty. Large, pinkish-purple flowers having cone shaped, orange red centers are borne on strong, straight stems, 3 to 4 feet in height. July-August. | 1.50 | 10.00 |
|---|------|-------|

ECHINOPS (Globe Thistle) Vigorous and stately plants. attractive both in flower and foliage. The large, handsome leaves are spiny at the tips and are covered with silvery down.

| | | |
|---|------|-------|
| Ritro. Globular heads of glistening blue flowers. 4 ft. July-August. | 1.50 | 10.00 |
| sphaerocephalus. Heads of grayish white flowers. 4 ft. July-August. | 1.50 | 10.00 |

Per Doz.—Per 100

ERIGERON

| | | |
|--|------|-------|
| speciosus. A free flowering and vigorous plant bearing medium sized, purplish-lilac flowers. Good for cutting. 2 ft. July August. | 1.50 | 10.00 |
|--|------|-------|

ERINUS

| | | |
|---|------|-------|
| alpinus. A dwarf, dainty rock plant of tufted habit bearing pink flowers in May. 6 inches. | 1.50 | 10.00 |
| “ albus. A white variety of the last. | 1.50 | 10.00 |

ERYNGIUM (Sea Holly)

| | | |
|---|------|------|
| planum. Small flower heads and steely blue stems. Good for cutting and drying. 2½ ft. July-August. | 1.25 | 8.00 |
|---|------|------|

EUPATORIUM

| | | |
|---|------|------|
| coelestinum. Very free flowering and one of the best hardy plants for cutting. Masses of blue, ageratum-like flowers from August to October. 2 ft. | 1.25 | 8.00 |
| Fraseri. Feathery white flowers. 2 ft. July-September. | 1.25 | 8.00 |

EUPHORBIA (Spurge)

| | | |
|---|------|------|
| corollata. The value of this plant for cutting is not fully appreciated. It is well adapted for shipping and its small pure white flowers take the place of Gypsophila paniculata when that is past. Best results are obtained by allowing it to 2 ft. August-September. to remain undisturbed for several years. 1½ | 1.25 | 8.00 |
|---|------|------|

FUNKIA

| | | |
|--|------|-------|
| undulata variegata. Creamy white and green variegated leaves. | 1.50 | 10.00 |
|--|------|-------|

GAILLARDIA

| | | |
|---|------|-------|
| grandiflora. Ranging in color from old gold to crimson. For furnishing a continuous supply of cut flowers, this plant is unrivaled. 2 ft. June-September. | 1.25 | 8.00 |
| The Dazzler. A recent introduction, producing large, bright golden yellow flowers with red maroon centers. Its strong, straight, erect stems make it a valuable variety for cutting. | 1.50 | 10.00 |

GERANIUM

| | | |
|--|------|-------|
| sanguineum. Forms a thick mass of prostrate stems and bears a profusion of saucer shaped, blood red flowers. 1 ft. June-August. | 1.50 | 10.00 |
|--|------|-------|

Per Doz.—Per 100

GEUM

| | | |
|--|------|-------|
| Lady Stratheden. A new variety similar in habit and growth to the well known Geum Mrs. Bradshaw. It bears large, old gold, double flowers. 2 ft. May-June. | 1.50 | 10.00 |
| Mrs. Bradshaw. One of the most striking of hardy plants. Slender, branching stems are produced from tufts of evergreen foliage and bear large, rich scarlet, double flowers in great profusion. 2 ft. May-June. | 1.50 | 10.00 |

GYPSOPHILA

| | | |
|---|------|-------|
| cerastioides. A choice rock plant forming a dense mat of foliage, thickly studded in spring with large, lilac flowers veined with pink. 3 inches. | 2.50 | 15.00 |
| Ehrlei. The most valuable hardy plant for cutting that has been introduced for many years. It is quite distinct from Gypsophila paniculata fl. pl. and flowers earlier than that variety. After the main crop of bloom is past, a continuous succession of flower spikes are produced until frost. Strong field-grown, grafted plants. | 5.00 | 35.00 |
| paniculata. Cloud-like masses of small white flowers. One of the most popular and useful plants for cutting. 2½ ft. July. | 1.25 | 8.00 |
| repens. A dwarf trailer, excellent for cascading down the slopes of the rock garden. Masses of small white flowers. June-July. | 1.25 | 8.00 |
| repens monstrosa. A stronger growing and more erect variety of the preceding. Very useful for cutting. 1 ft. May-June. | 1.50 | 10.00 |

HELENIUM. Strong growing plants, valuable for producing late summer effects in woodland or herbaceous border. Also useful as a cut flower.

| | | |
|--|------|-------|
| autumnale Riverton Gem. Rich mahogany-red flowers. | 1.50 | 10.00 |
| “ Gartensonne. A new variety having clear yellow flowers. 4 ft. August-September. | 2.00 | 12.00 |
| “ superbum. Yellow. 4 ft. August-September. | 1.50 | 10.00 |
| Hoopesii. Large heads of deep yellow flowers. 2 ft. June-July. | 1.50 | 10.00 |

Per Doz.—Per 100

HELIANTHEMUM. (Rock or Sun Rose) Dwarf ever-green shrubs of spreading habit, which for freedom of flowering and brilliance of coloring are equalled by few and excelled by no other family of plants. Delighting in full sun, they will thrive on a sunny bank where few other plants will exist. Massed on the rock garden or front of herbaceous border, they are the most gorgeous sight in the garden during June.

| | | |
|--|------|-------|
| Fireball. Brilliant scarlet. 9 inches. | 2.00 | 12.00 |
| macranthum. Large creamy white. 6 inches. | 2.00 | 12.00 |
| Mrs. Earle. Double scarlet flowers. 9 inches. | 2.00 | 12.00 |
| praecox. Large, soft yellow flowers. Silvery foliage. 9 inches. | 2.00 | 12.00 |
| rhodanthe carneum. Very large, clear pink flowers. silvery foliage. 9 inches. | 2.00 | 12.00 |
| Rosa Queen. Large, single pink flowers. 9 inches. | 2.00 | 12.00 |

HELIANTHUS

| | | |
|--|------|-------|
| mollis. Handsome foliage thinly covered with silvery down and large lemon yellow flowers. 5 ft. August-September. | 1.50 | 10.00 |
|--|------|-------|

HELIOPSIS

| | | |
|---|------|------|
| Pitcheriana. Golden yellow flowers, throughout the summer. 3 ft. | 1.25 | 8.00 |
|---|------|------|

HEMEROCALLIS

| | | |
|---|------|-------|
| Dr. Regel. Fragrant, orange-yellow, lily like flowers. 1½ ft. May. | 1.50 | 10.00 |
| Thunbergi. Clear yellow flowers. 3 ft. July. | 1.50 | 10.00 |

HERNIARIA

| | | |
|--|------|------|
| glabra. A prostrate green carpenter which remains green during winter. 1½ ft. | 1.25 | 8.00 |
|--|------|------|

HESPERIS

| | | |
|--|------|------|
| matronalis. Sweetly scented, purple flowers freely produced during summer. 1½ ft. | 1.25 | 8.00 |
| “ albus. A white variety of the last. | 1.25 | 8.00 |

HIBISCUS (Mallow)

| | | |
|---|------|-------|
| Marvel Mallows. Pink, red, white separate. | 1.50 | 10.00 |
|---|------|-------|

HYPERICUM

| | | |
|--|------|-------|
| olympicum. A rare rock plant, gray-foliage and very large, yellow flowers. 6 in. June-July. | 2.50 | 15.00 |
|--|------|-------|

Per Doz.—Per 100

IBERIS (Candytuft)

| | | |
|--|------|------|
| sempervirens. An invaluable and popular spring flowering plant of dwarf and compact habit, bearing masses of snow white flowers produced in large trusses. 9 in. April-May. | 1.25 | 8.00 |
|--|------|------|

INULA

| | | |
|---|------|-------|
| ensifolia. Forms a compact, symmetrical clump and in July is covered with bright yellow flowers. 1 ft. | 1.50 | 10.00 |
|---|------|-------|

IRIS

| | | |
|---|------|-------|
| cristata. A dwarf fairy-like plant with soft blue, orange striped flowers. Easily grown in a rather moist, partially shaded position. 4 in. May. | 1.50 | 10.00 |
| Japanese. Mixed. | 1.50 | 10.00 |
| pumila cyanea. Violet-purple. 9 in. May. | 1.25 | 8.00 |
| “ The Bride. Pure white. 6 in. May. | 1.25 | 8.00 |
| sibirica. Graceful, slender, grass-like foliage and violet-blue flowers on long stems. An excellent plant for moist situations. 3 ft. May-June. | 1.25 | 8.00 |
| “ Snow Queen. Large, snow-white, well formed flowers. | 1.25 | 8.00 |

LATHYRUS (Perennial Sweet Pea)

| | | |
|---|------|-------|
| latifolius albus. A vigorous climber. White flowers. | 1.50 | 10.00 |
| “ roseus. A pink variety. | 1.50 | 10.00 |

LAVANDULA (Sweet Lavender)

| | | |
|---|------|-------|
| vera. A popular old-fashioned plant with fragrant blue flowers and foliage. 1½-2 ft. June-July. | 1.25 | 8.00 |
| vera Munstead Variety. A dwarf, compact form of the foregoing. Good for edging or the rock garden. 9 inches. May-June. | 2.50 | 15.00 |

LEONTOPODIUM

| | | |
|--|------|-------|
| alpinum (Edelweiss) White leaves and small yellow flowers surrounded by star-like heads of leaves clothed with a dense, white woolly substance. 6 in. May-June. | 1.50 | 10.00 |
|--|------|-------|

LIATRIS

| | | |
|---|------|------|
| pyncnostachya. Long slender stems with rosy purple flowers. 4-5 ft. July-August. | 1.25 | 8.00 |
|---|------|------|

Per Doz.—Per 100

LINUM (Flax)

| | | |
|---|------|------|
| perenne. A continuous succession of clouds of sapphire blue flowers throughout summer. 2 ft. | 1.25 | 8.00 |
| “ alba. A white variety of the above. | 1.25 | 8.00 |

LYCHNIS

| | | |
|--|------|-------|
| alpina. Compact cushions of rich green leaves studded in April and May with heads of pink flowers. | 1.50 | 10.00 |
| chalconica. (Jerusalem Cross) Stout leafy stems bearing large, flat heads of bright scarlet flowers. 2-3 ft. July-August. | 1.25 | 8.00 |
| “ alba. A white variety of the above. | 1.25 | 8.00 |

LYSIMACHIA

| | | |
|---|------|------|
| nummularia. A prostrate trailer, spangled during spring and early summer with large, clear yellow flowers. | 1.25 | 8.00 |
|---|------|------|

LYTHRUM

| | | |
|--|------|-------|
| virgatum Rose Queen. A shapely bush formed of many slender stems which are thickly covered three quarters of their length with rosy pink flowers. 3-4 ft. July-September. | 1.50 | 10.00 |
|--|------|-------|

MAZUS

| | | |
|--|------|-------|
| rugosus. A prostrate grower forming a dense, green carpet, studded in spring with large violet flowers spotted with gold. | 1.50 | 10.00 |
|--|------|-------|

MERTENSIA

| | | |
|--|------|-------|
| virginica (Virginian Cowslip) One of the most beautiful of spring flowering plants. It forms large, glaucous gray leaves and bears drooping clusters of clear blue flowers. 1½ ft. May. | 2.00 | 12.00 |
|--|------|-------|

MONARDA

| | | |
|--|------|------|
| didyma.. (Bergamot) Bright red heads of flowers on 3 ft. stems. The whole plant is fragrant. June-August. | 1.25 | 8.00 |
|--|------|------|

MYOSOTIS

| | | |
|---|------|------|
| palustris semperflorens. The well known and popular Forget-me-not. | 1.25 | 8.00 |
|---|------|------|

Per Doz.—Per 100

NEPETA

| | | |
|---|------|-------|
| Mussini. (Catmint) A many stemmed, somewhat trailing plant with silvery leaves, which during June bears spikes of lavender blue flowers in great profusion. Most effective if grown in large masses. 1 ft. | 1.50 | 10.00 |
|---|------|-------|

OENOTHERA (Evening Primrose)

| | | |
|---|------|-------|
| missouriensis. A fine trailing plant with very large, pale yellow flowers, five or six inches in diameter. One of the best perennials for rock garden or border. June-September. | 1.50 | 10.00 |
| speciosa. Erect habit; snow-white flowers in great profusion throughout summer. 2 ft. | 1.50 | 10.00 |

ONOSMA

| | | |
|---|------|-------|
| stellatum. A rare and beautiful plant for the rock garden. It forms an evergreen tuft of leaves and bears during May and June drooping amber-colored, drop shaped blossoms. It should be given a sunny, well drained position. 1 ft. | 3.00 | 20.00 |
|---|------|-------|

PARADANTHUS (Blackberry Lily)

| | | |
|---|------|------|
| chinensis. Bright orange, lily-like, flowers with brownish purple spots, followed by conspicuous black seeds resembling blackberries. 3 ft. July-August. | 1.25 | 8.00 |
|---|------|------|

PAPAVER

| | | |
|---|------|-------|
| alpinum. A dwarf, miniature poppy having finely divided, gray leaves and bearing, throughout the summer, white, yellow, orange and pink flowers. | 2.00 | 12.00 |
| nudicaule (Iceland Poppy) Dwarf free flowering plants, bearing solitary blossoms on stems about 1 ft. in height. Good for cutting. May-August. | 1.50 | 10.00 |
| orientale. Large scarlet flowers. 3 ft. May-June. | 1.50 | 10.00 |
| orientale Olympicum. The only double form of the Oriental Poppy. Rich scarlet flowers. 2½ ft. | 2.00 | 12.00 |

PENTSTEMON

| | | |
|---|------|-------|
| barbatus Torreyi. Graceful tapering stems covered with large, tubular, scarlet flowers. 4 ft. June-August. | 1.50 | 10.00 |
| Digitalis. White tubular flowers with purple throat. Good for cutting. 2-3 ft. June-July. | 1.50 | 10.00 |

Per Doz.—Per 100

PHLOX. One of the most important families of hardy perennials and one that should be well represented in every collection. Phloxes are best suited by a deep, well manured soil and abundance of water.

| | | |
|---|------|-------|
| Albion. White with faint red eye. 2½ ft. | 1.25 | 8.00 |
| Antonin Mercier. Soft lilac blue with white center. 2 ft. | 1.25 | 8.00 |
| Bacchante. Fiery pink with crimson eye. 2½ ft. | 1.25 | 8.00 |
| B. Comte. Brilliant French purple. 1½ ft. | 1.25 | 8.00 |
| Baron van Dedem. Glowing crimson. 2 ft. | 1.25 | 8.00 |
| Enchantress. Salmon pink. 2 ft. | 1.50 | 10.00 |
| Europa. White with carmine eye. 2½ ft. | 1.25 | 8.00 |
| La Vogue. Pinkish mauve. 2½ ft. | 1.25 | 8.00 |
| Mia Ruys. The best white Phlox. | 1.50 | 10.00 |
| Mrs. Jenkins. Pure white; large trusses. 2½ ft. | 1.25 | 8.00 |
| Rijnstroom. Rose-pink, very large individual flowers. 2½ ft. | 1.50 | 10.00 |
| Rosenberg. Carmine violet with redish eye. 2 ft. | 1.25 | 8.00 |
| R. P. Struthers. Rosy red with crimson eye. 2 ft. | 1.25 | 8.00 |
| suffruticosa Miss Lingard. A good variety for cutting; pyramidal trusses of white flowers with faint lilac eye. 2½ ft. June-September. | 1.25 | 8.00 |
| Thor. Very large trusses of dazzling pink flowers. ½ ft. | 1.25 | 8.00 |
| W. C. Egan. Large pink flowers. 2½ ft. | 1.25 | 8.00 |
| Widar. Reddish-violet flowers with white centers. 2½ ft. | 1.25 | 8.00 |

PHLOX, Dwarf varieties

| | | |
|--|------|-------|
| amoena. Compact glossy green foliage and masses of vivid pink flowers in April and May. 9 in. | 1.50 | 10.00 |
| divaricata. Trusses of large, fragrant, lavender-blue flowers. 9 in. May. | 1.50 | 10.00 |
| subulata alba. (Moss Pink) Moss-like foliage covered in April and May with sheets of white flowers. 6 in. | 1.25 | 8.00 |
| “ atrolilacina. Masses of deep lilac flowers entirely cover the plants during April and May. The flowers of this plant are the nearest approach to blue of any variety of this type of Phlox. | 2.00 | 12.00 |

| | Per Doz.—Per 100 | |
|---|------------------|-------|
| PHLOX (Continued) | | |
| subulata G. F. Wilson. One of the best and most floriferous of spring flowering plants. Mats of glossy foliage completely hidden by sheets of starry, lavender flowers in April and May. 6 in. | 2.00 | 12.00 |
| “ lilacina. A lilac variety. | 1.25 | 8.00 |
| “ rosea. A pink variety. | 1.25 | 8.00 |
| PHYSALIS (Winter Cherry) | | |
| Franchetti. Bright orange bladder-like calyces enclosing a cherry-like fruit. Valuable for drying for winter decoration. 2 ft. October. | 1.25 | 8.00 |
| PHYSOSTEGIA | | |
| virginiana. Long slender spikes closely covered with pinkish mauve, tubular flowers. 3 ft. July-August. | 1.25 | 8.00 |
| “ alba. A white variety of the foregoing. | 1.25 | 8.00 |
| “ grandiflora. A plant of recent introduction and a most valuable acquisition. It produces numerous stout, square stems 1 ft. to 1½ ft. high,, each covered with large, brilliant pink flowers, somewhat resembling a snapdragon in shape. The value of this plant is enhanced by its being an addition to the very new dwarf late flowering plants. August-September. | 1.25 | 8.00 |
| PINK, Hardy. A highly popular group of old fashioned garden plants, esteemed for their extreme floriferous and delicious fragrance. 12 to 15 inches. May-June. | 1.25 | 8.00 |
| Excelsior. Delicate rose pink. | 1.25 | 8.00 |
| Her Majesty. Pure white; large flowers. | 1.25 | 8.00 |
| Homer. Deep rose with darker center. | 1.25 | 8.00 |
| Julietta. White, laced crimson. | 1.25 | 8.00 |
| Lord Lyons. Deep rose. | 1.25 | 8.00 |
| White Reserve. Pure white; perpetual flowering. | 1.25 | 8.00 |
| PLATYCODON (Balloon Flower) | | |
| grandiflorum. Blue bell-shaped flowers borne on slender stems. 2 ft. June-October. | 1.25 | 8.00 |
| “ album. A white variety of the above. | 1.25 | 8.00 |

Per Doz.—Per 100

PLUMBAGO

- Larpentae. (Leadwort)** Forms compact tufts of innumerable wiry stems, each one terminating in a dense truss of cobalt blue flowers. 1 ft. August-October. 1.50 10.00

PYRETHRUM

- roseum.** Daisy-like flowers varying in color from white to crimson. Useful for cutting. 2 ft. June 1.25 8.00

RANUNCULUS

- acris fl. pl.** This plant is too often confused with the following variety which is generally sold for it. Of late years it has become very scarce and we are pleased to be able to offer the true plant. The glistening yellow flowers are small and very double and are borne on strong, erect stems, from 2½ to 3 ft. in height, the whole inflorescence forming a loose pyramid. It is one of the real old-fashioned plants and is equally valuable for border decoration or for cutting. May-June. 1.25 8.00
- repens fl. pl.** Small, double, yellow flowers on branching stems. Valuable for cutting. 1-1½ ft. April-May. 1.25 8.00

RUDBECKIA

- Golden Glow.** Double, deep yellow flowers. 6 ft. July-September. 1.25 8.00

SAGINA

- glabra.** Emerald green cushions of moss-like growth covered in spring with myriads of small white flowers. 2 inches. 1.50 10.00

SALVIA

- azurea grandiflora.** Tall straight stems covered for half their length with sky-like flowers. 4-5 ft. August-September. 1.25 8.00
- pratensis.** Branching stems of rich, violet-blue flowers. 2 ft. June-July. 1.25 8.00

SANTOLINA (Cotton Lavender)

- incana.** An aromatic, compact growing, half shrubby plant with silvery foliage 1.25 8.00

Per Doz.—Per 100

SAPONARIA

| | | |
|--|------|-------|
| ocymoides. A good plant for carpeting in the herbaceous border or for trailing down the slopes in the rock garden. Spangled with bright pink flowers in spring. | 1.50 | 10.00 |
|--|------|-------|

SCABIOSA

| | | |
|--|------|-------|
| caucasica. One of the finest of hardy plants, bearing a succession of large, soft lilac flowers on long stems throughout summer. 2½ ft. | 2.00 | 12.00 |
| “ alba. A white variety of the above. | 2.00 | 12.00 |

SEDUM

| | | |
|---|------|-------|
| acre. A dwarf grower which quickly forms a thick carpet of vivid green, moss-like foliage and is hidden by yellow flowers in May. | 1.50 | 10.00 |
| album. Small succulent leaves which turn reddish bronze in fall. Trusses of white flowers in June and July. 6 in. An excellent edging plant. | 1.50 | 10.00 |
| dasyphyllum. A minute species producing masses of short, delicate stems thickly covered with globular, blue gray leaves. | 2.00 | 12.00 |
| hispanicum. A minute plant forming spreading tufts of gray foliage becoming bronze in fall. 3 in. | 1.50 | 10.00 |
| kamtschaticum. Leafy prostrate stems which in July and August bear clusters of star-shaped, orange colored flowers. | 1.50 | 10.00 |
| lydium. Carpets of bright green foliage which turns reddish bronze during summer. 4 in. | 1.50 | 10.00 |
| obtusatum. A rare and attractive stone-crop. Small, round, fleshy leaves, dull green in spring but which turn red in summer. Yellow flowers. 4 in. June. | 2.00 | 12.00 |
| reflexum. Clusters of golden flowers. 9 in. June. July. | 1.50 | 10.00 |
| sarmentosum. Fleshy leaved, trailer with yellow flowers. | 1.50 | 10.00 |
| sexangulare. Dwarf trailer; green foliage and yellow flowers. 6 in. June-July. | 1.50 | 10.00 |
| stoloniferum. Large clusters of pink flowers on prostrate, trailing stems. 6 in. June-July. | 1.50 | 10.00 |

Per Doz.—Per 100

SEDUM (Continued)

| | | |
|---|------|-------|
| spectabile. Erect sturdy habit with broad glaucous leaves. The flowers are borne in large flat heads and are rosy purple in color; they retain their beauty for two months. 1½ ft. August-September. | 1.25 | 8.00 |
| “ Brilliant. A deeper colored variety than the preceding, being a vivid amaranth red. | 1.50 | 10.00 |

SEMPERVIVUM (Houseleek)

| | | |
|---|------|-------|
| acuminatum. Rosettes of green, fleshy leaves tipped with bronze. | 2.00 | 12.00 |
| arachnoideum (Cobweb Houseleek) Rosettes of succulent, pale green leaves covered with silky hairs resembling a cobweb. | 2.50 | 15.00 |

SILENE

| | | |
|--|------|-------|
| alpestris. A dainty little rock plant of compact tufted habit, bearing masses of small white flowers. 4 inches. May-June. | 2.00 | 12.00 |
|--|------|-------|

SPIRAEA

| | | |
|--|------|------|
| Filipendula. (Dropwort) Loose clusters of creamy white flowers tipped with red, borne on slender stems rising from tufts of fern-like foliage. 2½ ft. June. | 1.25 | 8.00 |
| Ulmaria. (Meadow Sweet) Loose heads of creamy white flowers on long straight stems. 2½ ft. June-July. | 1.25 | 8.00 |
| “ fl. pl. A double flowered form of the foregoing and a much superior plant. Excellent for cutting. | 1.25 | 8.00 |

STOKESIA

| | | |
|---|------|-------|
| cyanea. A showy plant with a lengthy flowering period; large blue flowers on somewhat straggling stems. 1½ ft. August-October. | 1.50 | 10.00 |
| cyanea alba. A white variety of the foregoing. | 1.50 | 10.00 |

STATICE

| | | |
|--|------|-------|
| latifolia. (Sea Lavender) Branching flower stems bearing countless, small, blue-purple flowers which retain their color long after being cut and dried. Very good for cutting. 1½-2 ft. August-September. | 1.50 | 10.00 |
|--|------|-------|

Per Doz.—Per 100

SWEET WILLIAM

| | | |
|---|------|------|
| Holborn Glory. A choice mixture of all colors. | 1.25 | 8.00 |
| Newport Pink. | 1.25 | 8.00 |
| Scarlet Beauty. | 1.25 | 8.00 |
| White. | 1.25 | 8.00 |

THALICTRUM

| | | |
|---|------|------|
| adiantifolium. Clumps of maiden-hair foliage and long spikes of loosely arranged, small yellowish-white flowers, good for cutting. They can be used in place of <i>Gypsophila paniculata</i> before that is available. 2½ ft. June-July. | 1.25 | 8.00 |
|---|------|------|

THYMUS

| | | |
|---|------|-------|
| citriodorus argenteus. Forms a compact bush about 9 inches in height. The small leaves are silver variegated and lemon scented. | 2.00 | 12.00 |
| “ aureus. Similar in habit and fragrance to the above but having golden variegated leaves. | 2.00 | 12.00 |
| lanuginosus. Carpets of woolly leaves covered in June and July with pink flowers. | 1.50 | 10.00 |
| Serpyllum albus. A fragrant,, creeping rock plant, quickly growing into a dense carpet which becomes covered with white flowers' in June and July. | 1.50 | 10.00 |
| “ coccineus. A scarlet flowered variety. | 1.50 | 10.00 |

TRITOMA (Torch Lily)

| | | |
|---|------|-------|
| Pfitzeri. A very distinct and handsome late flowering perennial; tufts of grass-like foliage and thick fleshy stems covered with orange-scarlet, tubular flowers. 2-3 ft. September-October. | 2.50 | 15.00 |
| Mixed Hybrids. A choice mixture, varying from yellow to scarlet. | 1.50 | 10.00 |

TUNICA

| | | |
|---|------|-------|
| Saxifraga. Tufts of grass-like foliage and stems bearing small, rosy pink flowers. 6 in. July-September. | 1.50 | 10.00 |
|---|------|-------|

VALERIANA

| | | |
|---|------|------|
| officinalis. A strong growing and free flowering plant bearing large heads of faint pink flowers. 3-4 ft. June-July. | 1.25 | 8.00 |
|---|------|------|

Per Doz.—Per 100

VERONICA

| | | |
|--|------|-------|
| incana. Compact masses of silvery foliage and deep blue flowers. 1 ft. May-June. | 1.50 | 10.00 |
| repens. Carpets of evergreen foliage entirely covered in spring with very pale blue flowers. | 1.50 | 10.00 |
| rupestris. A prostrate trailer forming a thick green carpet which is almost hidden in May and June by myriads of clusters of deep blue flowers. | 1.25 | 8.00 |
| spicata. Spikes of blue flowers. 2 ft. June-August. | 1.50 | 10.00 |
| “ rosea. An uncommon pink variety of the foregoing. | 1.50 | 10.00 |
| subsessilis. Stout erect stems of intense blue flowers. 2-3 ft. July-August. | 2.00 | 12.00 |

VIOLA

| | | |
|--|------|-------|
| Jersey Gem. One of the best hardy plants of recent introduction. It blooms freely and continuously from spring until frost, and the flowers, royal purple in color, are not affected by the sun. Its foliage is a rich, healthy green, and its habit of growth is neat and compact. | 1.50 | 10.00 |
| pedata. (Bird's Foot Violet) Tufts of finely divided leaves and lilac blue flowers. 6 in. April-May. | 1.50 | 10.00 |

YUCCA

| | | |
|--|------|-------|
| filamentosa. (Adam's Needle) Large rosettes of sword-like leaves, and spikes of white flowers. 6-8 ft. July. Two year plants. | 1.50 | 10.00 |
|--|------|-------|

HERBS

| | | |
|-----------------|------|-------|
| Lavender | 2.00 | 12.00 |
| Mint | 1.25 | 8.00 |
| Rue | 1.25 | 8.00 |
| Sage | 1.25 | 8.00 |
| Savory | 1.25 | 8.00 |
| Thyme | 1.25 | 8.00 |

Being frequently asked for selection of plants suitable for planting on rock gardens, we append the following list as being adapted for that purpose:

| | |
|--|--|
| <i>Achillea rupestris</i> | <i>Herniaria glabra</i> |
| <i>Achillea tomentosa</i> | <i>Hypericum olympicum</i> |
| <i>Aethionema iberideum</i> | <i>Iberis sempervirens</i> |
| <i>Ajuga genevensis</i> | <i>Inula ensifolia</i> |
| <i>Alyssum argenteum</i> | <i>Iris cristata</i> |
| <i>Alyssum montanum</i> | <i>Iris pumila cyanea</i> |
| <i>Alyssum saxatile compactum</i> | <i>Iris pumila The Bride</i> |
| <i>Anchusa myosotidiflora</i> | <i>Lavandula vera Munstead Variety</i> |
| <i>Androsace lanuginosa</i> | <i>Leontopodium alpinum</i> |
| <i>Androsace lanuginosa Leichtlini</i> | <i>Lychnis alpina</i> |
| <i>Anemone Pulsatilla</i> | <i>Lysimachia nummularia</i> |
| <i>Anemone Pulsatilla alba</i> | <i>Mazus rugosus</i> |
| <i>Arabis alpina</i> | <i>Nepeta Mussini</i> |
| <i>Arenaria laricifolia</i> | <i>Oenothera missouriensis</i> |
| <i>Arenaria montana</i> | <i>Onosma stellulatum</i> |
| <i>Armeria maritima Lauchiana</i> | <i>Papaver alpinum</i> |
| <i>Aster alpinus</i> | <i>Papaver nudicaule</i> |
| <i>Aster alpinus albus</i> | <i>Phlox amoena</i> |
| <i>Aster subcoeruleus</i> | <i>Phlox divaricata</i> |
| <i>Aubrietia deltoidea</i> | <i>Phlox subulata alba</i> |
| <i>Calamintha alpina</i> | <i>Phlox subulata atrolilacina</i> |
| <i>Campanula carpatica</i> | <i>Phlox subulata G. F. Wilson</i> |
| <i>Campanula carpatica alba</i> | <i>Phlox subulata lilacina</i> |
| <i>Campanula glomerata</i> | <i>Phlox subulata rosea</i> |
| <i>Campanula rotundifolia</i> | <i>Plumbago Larpentae</i> |
| <i>Cerastium tomentosum</i> | <i>Sagina glabra</i> |
| <i>Dianthus alpinus</i> | <i>Santolina incana</i> |
| <i>Dianthus arenarius</i> | <i>Saponaria ocymoides</i> |
| <i>Dianthus deltoides</i> | <i>Sedum acre</i> |
| <i>Dianthus deltoides albus</i> | <i>Sedum album</i> |
| <i>Dianthus deltoides Brilliant</i> | <i>Sedum dasyphyllum</i> |
| <i>Dianthus neglectus</i> | <i>Sedum hispanicum</i> |
| <i>Erinus alpinus</i> | <i>Sedum kamtschaticum</i> |
| <i>Erinus alpinus albus</i> | <i>Sedum lydium</i> |
| <i>Geranium sanguineum</i> | <i>Sedum reflexum</i> |
| <i>Gypsophila cerastioides</i> | <i>Sedum sarmentosum</i> |
| <i>Gypsophila repens</i> | <i>Sedum sexangulare</i> |
| <i>Gypsophila repens monstrosa</i> | <i>Sedum stoloniferum</i> |
| <i>Helianthemum Fireball</i> | <i>Sempervivum acuminatum</i> |
| <i>Helianthemum macranthum</i> | <i>Sempervivum arachnoideum</i> |
| <i>Helianthemum Mrs. Earle</i> | <i>Silene alpestris</i> |
| <i>Helianthemum praecox</i> | <i>Thymus citriodorus argenteus</i> |
| <i>Helianthemum rhodanthe carneum</i> | <i>Thymus citriodorus aureus</i> |
| | <i>Thymus lanuginosus</i> |
| | <i>Thymus Serpyllus albus</i> |
| | <i>Thymus Serpyllum coccineus</i> |
| | <i>Tunica Saxifraga</i> |
| | <i>Veronica incana</i> |
| | <i>Veronica repens</i> |
| | <i>Veronica rupestris</i> |
| | <i>Viola pedata</i> |

All plants in the following list are suitable for cutting. A careful selection will provide a supply of flowers from Spring until Fall.

| | |
|----------------------------------|-----------------------------|
| Achillea Ptarmica The Pearl | Liatris pycnostachya |
| Achillea Ptarmica Boule de Nieve | Pentstemon barbatus Torreyi |
| Anthemina tinctoria Kelwayi | Phlox Miss Lingard |
| Armeria Cephalotes | Pink Excelsior |
| Baptisia australis | Pink Her Majesty |
| Campanula persicifolia | Pink Homer |
| Campanula persicifolia alba | Pink Juliette |
| Chrysanthemum maximum | Pink Lord Lyon |
| Coreopsis grandiflora | Pink White Reserve |
| Delphinium Belladonna | Pyrethrum roseum |
| Delphinium Bellamosum | Ranunculus acris fl. pl. |
| Eupatorium coelestinum | Scabiosa caucasica |
| Euphorbia corallata | Scabiosa caucasica alba |
| Gaillardia grandiflora | Statice latifolia |
| Gypsophila paniculata | Thalictrum adiantifolium |
| Heliopsis Pitcheriana | Tritoma Pfitzeri |
| Inula glandulosa | Spiraea Ulmaria fl. pl. |

Prices and descriptions of the plants in the preceding lists will be found in the body of the catalogue.



Hammonton Printing Company



Economic and Systematic Botany

Economic Botany Collection

Rec'd SEP 19 1930



Numbered